

CERTIFICATE



The **European Certification Body GmbH** accredited
according to ISO/IEC 17065 awards to

Mitteldeutsche Tresorbau GmbH
Orionstr. 3, 06184 Kabelsketal / DE

the right to carry the **ECB•S** certification mark for

Safes of resistance grade IV according to EN 1143-1:2012 and ECB•S C10
(Series Euro Banker M – Types 55, 67, 85, 1055, 1255, 1285, 1368 and 1568)
(see Annex)

Certificate Number
1506/SA15-03A

1 March 2017

valid from

1 March 2017

Frankfurt am Main

20 November 2018

valid until

Dr. Markus Heering

Certification Body



European Certification Body GmbH
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany
www.ecb-s.com

ECB•S

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Banker-M)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
General Documents			
Agreement	VER_mitdeu_promet_150907	14.09.2015	2
User manual	Safe of series "Banker M"	08.09.2014	1
Concrete composition	F2	12.11.2015	1
Lock list Safe Grade IV	--- <i>(see remark on last page of certificate)</i>	---	2
Bimetal plate	05428.01.01.01.001	11.12.2013	1
Rib inner case	05289.01.01.03, rev. 1	05.09.2016	1
Rib inner case	05289.01.01.04, rev. 1	05.09.2016	1
Rib external case	05289.01.04.002, rev. 1	05.09.2016	1
Bolt	05289.02.03.001, rev. 1	05.09.2016	1
Latch mechanism of grade IV	05289.02.02	30.10.2015	1
Banker-M 55			
Safe Banker-M 55 IV grade	05289, rev. 1	05.09.2016	1
Body	05289.01, rev. 1	05.09.2016	1
Inner case	05289.01.01, rev. 1	05.09.2016	1
Cap of the upper	05289.01.02, rev. 1	05.09.2016	1
Cap of the lower	05289.01.03, rev. 1	05.09.2016	1
Back wall	05289.01.04, rev. 1	05.09.2016	1
Door	05289.02, rev. 1	05.09.2016	1
Lower vertical traction	05289.02.03, rev. 1	05.09.2016	1
Upper vertical traction	05289.02.04, rev. 1	05.09.2016	1
Horizontal traction	05289.02.05, rev. 1	05.09.2016	1
Banker-M 67			
Safe Banker-M 67 IV grade	05291, rev. 1	05.09.2016	1
Body case with concrete	05291.01, rev. 1	05.09.2016	1
Inner case	05291.01.01, rev. 1	05.09.2016	1

continued on page 2

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Banker-M)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Cap of the upper	05291.01.02, rev. 1	05.09.2016	1
Cap of the lower	05291.01.03, rev. 1	05.09.2016	1
Back wall	05291.01.04, rev. 1	05.09.2016	1
Door	05291.02, rev. 1	05.09.2016	1
Lower vertical traction	05291.02.03, rev. 1v	05.09.2016	1
Upper vertical traction	05291.02.04, rev. 1	05.09.2016	1
Horizontal traction	05291.02.05, rev. 1	05.09.2016	1
Banker-M 85			
Safe Banker-M 85	05292, rev. 1	05.09.2016	1
Body	05292.01, rev. 1	05.09.2016	1
Inner case	05292.01.01, rev. 1	05.09.2016	1
Cap of the upper	05292.01.02, rev. 1	05.09.2016	1
Cap of the lower	05292.01.03, rev. 1	05.09.2016	1
Back wall	05292.01.04, rev. 1	05.09.2016	1
Door	05292.02, rev. 1	05.09.2016	1
Lower vertical traction	05292.02.03, rev. 1	05.09.2016	1
Upper vertical traction	05292.02.04, rev. 1	05.09.2016	1
Horizontal traction	05292.02.05, rev. 1	05.09.2016	1
Banker-M 1055			
Safe Banker-M 1055	05293, rev. 1	05.09.2016	1
Body case	05293.01, rev. 1	05.09.2016	1
Inner case	05293.01.01, rev. 1	05.09.2016	1
Cap of the upper	05293.01.02, rev. 1	05.09.2016	1
Cap of the lower	05293.01.03, rev. 1	05.09.2016	1
Back wall	05293.01.04, rev. 1	05.09.2016	1
Door	05293.02, rev. 1	05.09.2016	1

continued on page 3

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Banker-M)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Lower vertical traction	05293.02.03, rev. 1	08.07.2014	1
Upper vertical traction	05293.02.04, rev. 1	05.09.2016	1
Horizontal traction	05293.02.05, rev. 1	05.09.2016	1
Banker-M 1255			
Safe Banker-M 1255 IV grade	05294, rev. 1	05.09.2016	1
Body	05294.01, rev. 1	05.09.2016	1
Inner case	05294.01.01, rev. 1	05.09.2016	1
Cap of the upper	05294.01.02, rev. 1	05.09.2016	1
Cap of the lower	05294.01.03, rev. 1	05.09.2016	1
Back wall	05294.01.04, rev. 1	05.09.2016	1
Door	05294.02, rev. 1	05.09.2016	1
Lower vertical traction	05294.02.03, rev. 1	05.09.2016	1
Upper vertical traction	05294.02.04, rev. 1	05.09.2016	1
Horizontal traction	05294.02.05, rev. 1	05.09.2016	1
Banker-M 1285			
Safe Banker-M 1285	05299, rev. 1	05.09.2016	1
Body	05299.01, rev. 1	05.09.2016	1
Inner case	05299.01.01, rev. 1	05.09.2016	1
Upper wall	05299.01.02, rev. 1	05.09.2016	1
Cover half shell	05299.01.03, rev. 1	05.09.2016	1
Bottom half shell	05299.01.04, rev. 1	05.09.2016	1
Rear wall of the outer	05299.01.05, rev. 1	05.09.2016	1
Door	05299.02, rev. 1	05.09.2016	1
Lower vertical traction	05299.02.03, rev. 1	05.09.2016	1
Upper vertical traction	05299.02.04, rev. 1	05.09.2016	1
Horizontal traction	05299.02.05, rev. 1	05.09.2016	1
Banker-M 1368			
Safe Banker-M 1368	05298, rev. 1	05.09.2016	1
Body	05298.01, rev. 1	05.09.2016	1

continued on page 4

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Banker-M)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Inner case	05298.01.01, rev. 1	05.09.2016	1
Upper wall	05298.01.02, rev. 1	05.09.2016	1
Cover half shell	05290.01.03, rev. 1	05.09.2016	1
Bottom half shell	05290.01.04, rev. 1	05.09.2016	1
Rear wall of the outer	05298.01.05, rev. 1	05.09.2016	1
Door	05298.02, rev. 1	05.09.2016	1
Lower vertical traction	05298.02.03, rev. 1	05.09.2016	1
Upper vertical traction	05298.02.04, rev. 1	05.09.2016	1
Horizontal traction	05298.02.05, rev. 1	05.09.2016	1
Banker-M 1568			
Safe Banker-M 1568	05290, rev. 1	05.09.2016	1
Body	05290.01, rev. 1	05.09.2016	1
Inner case	05290.01.01, rev. 1	05.09.2016	1
Upper wall	05290.01.02, rev. 1	05.09.2016	1
Cover half shell	05290.01.03, rev. 1	05.09.2016	1
Bottom half shell	05290.01.04, rev. 1	05.09.2016	1
Rear wall of the outer	05290.01.05, rev. 1	05.09.2016	1
Door	05290.02, rev. 1	05.09.2016	1
Lower vertical traction	05290.02.03, rev. 1	05.09.2016	1
Upper vertical traction	05290.02.04, rev. 1	05.09.2016	1
Horizontal traction	05290.02.05, rev. 1	05.09.2016	1

NOTE Certified *Banker-M* -types shall exclusively be equipped with high security locks according to EN 1300 which are listed both in the approved technical documentation and in the lock guide ECB•S R01.

The types of the series *Banker-M* have a weight of $\leq 1,000$ kg. In accordance with the technical documentation they therefore have to be equipped with an anchoring assembly including material.

The fire resistance of the safes has not yet been approved by European Certification Body.

“Swing bolt locks” are not allowed to be used in the series *Banker-M* until an approval is given by European Certification Body GmbH.

The marking as ECB•S certified product, in compliance with this certificate, is only allowed with an original ECB•S certification mark as proof of conformity according to ISO/IEC 17065.